



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,191	11/24/2003	Richard Gibbons	PA1700 US	6737
28390 7590 01/10/2008 MEDTRONIC VASCULAR, INC. IP LEGAL DEPARTMENT 3576 UNOCAL PLACE SANTA ROSA, CA 95403			EXAMINER HOUSTON, ELIZABETH	
			ART UNIT 3731	PAPER NUMBER
			NOTIFICATION DATE 01/10/2008	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

rs.vasciplegal@medtronic.com

Office Action Summary

Application No.

10/722,191

Applicant(s)

GRIBBONS ET AL.

Examiner

Elizabeth Houston

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 September 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/19/07 has been entered.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Art Unit: 3731

2. Claim 1-3 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 2 of U.S. Patent No. 6,905,477 in view of Fischell (USPN 5,334,187). Although the conflicting claims are not identical, they are not patentably distinct from each other. The claims of the patent disclose all the limitations in the instant claims except for the limitation, "the guide member having an outer member and an inner member, the outer member being selectively rotatably around the inner member". Fischell discloses a guide member that includes handle (30), Y-connector (60) and guiding catheter (70). The guide member has an inner member (48) and an outer member (63) that is rotatable relative to and around the inner member. It would have been obvious to one having ordinary skill in the art at the time of the invention to securely fit the guide member to a Y-connector and a guide catheter so that a single operator can control the guide wire the Y adaptor and the guiding catheter with only one hand (Col 5, lines 1-21). Fischell also discloses that the keel has a guidewire lumen as well as a guidewire passageway in communication with the keel guidewire passageway.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3731

4. Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by Fischell et al. (USPN 5,334,187).

5. Fischell discloses a catheter and guide wire exchange system comprising:

- a. An elongate flexible catheter shaft (20) having proximal and distal shafts and first (23) and second (22) lumens extending there through, the first lumen being open at the shaft distal end (55) and being sized and shaped to slidably receive a guide wire (12);
- b. A longitudinal guide way (25) formed in the proximal shaft to enable transverse access to the first lumen through the proximal shaft, the guide way extending along a major portion of the length of the proximal shaft from a location adjacent a proximal end of the proximal shaft to a distal terminal end proximal of a distal end of the proximal shaft, thereby defining an uncut distal segment of the proximal shaft (23);
- c. A balloon mounted about a distal segment of the distal shaft (54), the balloon being in fluid communication with the second lumen;
- d. And a guide member (30, 60 and 70 combined) mounted on the proximal shaft and having an outer member (63) and an inner member (48). The inner member has a catheter passageway extending there through for slidably receiving the catheter shaft (21) and a guidewire passageway for slidably receiving a guidewire (12) (see Fig. 5) for merging the guide wire and the catheter by guiding the guide wire transversely through the guide way and into the first lumen and for separating the guide wire and catheter by guiding the

guide wire transversely out of the first lumen through said guide way, the guide member including a keel (47) for tracking the guide way. The guide member has an inner member (tube 45) and an outer member (63) that is selectively rotatable relative to and around the inner member. The keel (47) has a passageway for receiving the guidewire and the inner member has a guidewire passageway in communication with the keel guidewire passageway.

Response to Arguments

6. Applicant's arguments with respect to claims 1-3 have been considered but are moot in view of the new ground(s) of rejection. In light of the amendment, a new interpretation of the previously applied prior art is presented where the guide member comprises the handle (30), the Y-Connector (60) and the guide catheter (70) combined. This combination of parts comprises an inner member (48) and an outer member (63) that rotates relative to and around the inner member. The inner member has a catheter passageway and a guidewire passageway (as seen in Figs. 4c and 5)

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Houston whose telephone number is 571-272-7134. The examiner can normally be reached on M-F 9:00-5:00.


Art Unit: 3731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Todd Manahan can be reached on 571-272-4713. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

eh

1/3/08


Todd E. Manahan
SPE 3731